



FREELINC®

No Cords, No Wires

FREEMIC 200



OVERVIEW

The FreeMic 200 is a classic design shoulder microphone free from the hazards of bulky black cords and cables! Without these, an officer can perform their duties without the aggravation of getting hung up, caught up or grabbed by their cord. Each FreeMic 200 has an optional audio outlet to allow the user to keep incoming traffic confidential and retain cover by silencing the FreeMic's outbound speaker. A single charge will give the user up to 50 hours of talk time.

FreeLinc's patented Near Field Magnetic Induction (NFMI) technology surrounds each user in a reliable communication "bubble". Through establishing a link between the FreeMic 200 and FreeLinc radio adapter, your communications are securely transmitted from the radio adapter to the FreeMic 200 without the use of wires, cables or cords.

Popular (RF) devices such as Bluetooth™ are subject to dropped signals or audio quality degradation because of the need to compete for frequency allocation with other RF devices. The well defined communication bubble of magnetic-field energy allows for a large number of FreeLinc NFMI systems to be co-located while operating on the same frequency.

The rugged design of the FreeMic 200 holds up to everyday duties in every assignment. Design, coupled with the patented technology, keeps you absolutely safe from all hazards and stresses associated with the cables, cords and wires.

SPECIFICATIONS

Wireless Technology:	Near-Field Magnetic Induction (NFMI)
Range:	4 feet
Microphone:	Noise-canceling
Speaker Dimensions:	40 mm
Volume Control:	On mic
Battery:	Lithium Polymer (rechargeable)
Battery Life:	Up to 50 hours continuous talk time
Low-Battery Warning:	Audio tone
Charge Indicator:	LED
Charger Style:	6V Charging Port
Weight:	4.0 oz (113 g)
Dimensions:	0.5 x 3.4 x 3.6 in (13 x 87 x 91 mm)
Operating Temperature:	-22° to 140°F (-30° to 60°C)
Humidity:	95% RH @ 8 hours (non-condensing)

Phone: 866.467.1199 | Fax: 801.672.3003 | www.freelinc.com | Sales@freelinc.com

Copyright © [2003] Radeum Inc., DBA FreeLinc. All right reserved. FreeLinc is a registered trademark of Radeum Inc., DBA FreeLinc.